

Exam. Code : 211002

Subject Code : 5540

M.Sc. (Mathematics) 2nd Semester

REAL ANALYSIS—II

Paper—MATH-561

Time Allowed—Three Hours] [Maximum Marks—100

Note :— Attempt any TWO questions from each unit. Each question carries equal marks.

UNIT—I

1. State and prove Arzela's theorem.
2. Suppose K is compact and $\{f_n\}$ is a sequence of continuous functions on K and $\{f_n\}$ converges pointwise to a continuous function f on K . Also, $f_n(x) \geq f_{n+1}(x)$, $\forall x \in K$, $n = 1, 2, 3, \dots$. Then $f_n \rightarrow f$ uniformly on K .
3. The sequence of functions $\{f_n\}$ defined on E , converges uniformly on E if and only if for every $\varepsilon > 0$ there exists an integer N such that $m \geq N$, $n \geq N$, $x \in E$ implies $|f_n(x) - f_m(x)| \leq \varepsilon$.
4. Define equicontinuity. If K is compact and $f_n \in \mathcal{C}(K)$ for $n = 1, 2, 3, \dots$ and if $\{f_n\}$ is pointwise bounded and equicontinuous on K , then $\{f_n\}$ is uniformly bounded on K and contains a uniformly convergent subsequence.

UNIT—II

5. Define a measurable set. Prove that outer measure of an interval is its length.
6. If m is a countably additive, translation invariant measure defined on a σ -algebra containing the set P , then $m[0, 1)$ is either zero or infinity.
7. If A is countable then show that $m^*A = 0$.
8. Show that the interval (a, ∞) is measurable.

UNIT—III

9. Define a measurable function. Let c be a constant and f and g be two real valued measurable functions defined on the same domain, then $f \pm g$, $f + c$ and cf are also measurable.
10. Define a characteristic function and a simple function. Prove that $\chi_{A \cap B} = \chi_A \cdot \chi_B$ and $\chi_{\bar{A}} = 1 - \chi_A$.
11. Define almost everywhere. If f is measurable function and $f = g$ a.e., then g is measurable.
12. State and prove Egoroff's theorem.

UNIT—IV

13. Give an example of a function which is Lebesgue integrable but not Riemann integrable.
14. State and prove monotone convergence theorem.
15. State and prove bounded convergence theorem.
16. Let f be a non-negative measurable function. Show that $\int f = 0$ implies $f = 0$ a.e.

UNIT—V

17. State and prove Vitali's lemma.
18. If f is integrable on $[a, b]$ and $\int_a^x f(t) dt = 0$, for all $x \in [a, b]$, then $f(t) = 0$ a.e. in $[a, b]$.
19. Define absolute continuity. Show that every absolutely continuous function is the indefinite integral of its derivative.
20. Let f be an increasing real valued function on the interval $[a, b]$. Then f is differentiable almost everywhere. The derivative f' is measurable and

$$\int_a^b f'(x) dx \leq f(b) - f(a).$$